



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Reports of States and yearly and monthly reports of cities.

ALABAMA—*Mobile*.—Month of February, 1897. Population, 31,076. Total deaths, 96—white, 50; colored, 46, including 1 from enteric fever, and 14 from phthisis pulmonalis.

Month of March, 1897. Total deaths, 69—white 33; colored 36, including phthisis, 10.

CALIFORNIA.—Month of March, 1897. Reports from 48 towns, having an estimated population of 747,555, show 1,077 deaths, including 194 from phthisis pulmonalis; enteric fever, 12; diphtheria and croup, 25; scarlet fever, 2; measles 5, and whooping cough, 9.

ILLINOIS—*Chicago*.—Month of March, 1897. Population, 1,099,850. Total deaths, 1,921, including diphtheria, 57; enteric fever, 41; measles, 20; scarlet fever, 10; phthisis pulmonalis, 191, and whooping cough, 16.

MASSACHUSETTS—*North Attleboro*.—Month of March, 1897. Population, 6,727. Total deaths, 6.

Worcester.—Month of March, 1897. Population, 103,086. Total deaths, 158, including diphtheria and croup, 7; scarlet fever, 3, and measles, 4.

MICHIGAN.—Week ended April 17, 1897. Reports to the State board of health, Lansing, by observers in different parts of the State, show that phthisis pulmonalis was reported present in 165 places, measles at 85 places, scarlet fever at 23 places, diphtheria at 20 places, enteric fever at 16 places, and whooping cough at 7 places.

MISSOURI—*Kansas City*.—Month of March, 1897. Estimated population, 165,000. Total deaths, 181, including diphtheria, 3; enteric fever, 1; measles, 2; phthisis pulmonalis, 12, and whooping cough, 2.

NEBRASKA—*Omaha*.—Month of February, 1897. Population, 140,452. Total deaths, 74, including diphtheria and croup, 1; enteric fever, 2, and phthisis pulmonalis, 11.

Month of March, 1897. Total deaths, 79, including diphtheria and croup, 2; measles, 8; enteric fever, 2, and phthisis pulmonalis, 8.

NEW JERSEY—*Paterson*.—Month of March, 1897. Estimated population, 106,248. Total deaths, 175, including diphtheria and croup, 18; enteric fever, 1; phthisis pulmonalis, 17, and measles, 7.

NEW YORK—*Buffalo*.—Month of March, 1897. Estimated population, 350,000. Total deaths, 411, including diphtheria and croup, 18; enteric fever, 10; measles, 9; scarlet fever, 1; phthisis pulmonalis, 43, and whooping cough, 18.

OHIO—*Columbus*.—Month of March, 1897. Estimated population, 100,000. Total deaths, 107, including enteric fever, 2, and phthisis pulmonalis, 26.

Dayton.—Month of March, 1897. Population, 85,000. Total deaths, 74, including diphtheria, 2, and phthisis pulmonalis, 17.

UTAH—*Salt Lake City*.—Month of March, 1897. Estimated popula-

tion, 70,000. Total deaths, 49, including diphtheria, 1; enteric fever, 1, and phthisis pulmonalis 7.

VIRGINIA—*Richmond*.—Month of February, 1897. Estimated population, 103,560—white, 56,440; colored, 47,120. Total deaths, 138—white, 64; colored, 74—including diphtheria, 1; enteric fever, 1; scarlet fever, 1, and phthisis pulmonalis, 20.

Month of March, 1897. Total deaths, 151—white, 68; colored, 83—including phthisis pulmonalis, 24.